



CAVITE STATE UNIVERSITY
Don Severino de las Alas Campus

Office of the Vice-Chancellor for Administration

www.csu.edu.ph

OFFICE OF THE VICE-CHANCELLOR FOR ADMINISTRATION
Cavite State University - Don Severino de las Alas Campus
Alifan, Cavite

RECEIVED
OFFICE OF THE VICE-CHANCELLOR FOR ADMINISTRATION
Cavite State University - Don Severino de las Alas Campus
Alifan, Cavite

(Php 635,219.09) Quotation received in excess of the P200,000.00 limit.


DATE: 05/05/2015

Item No.	Description	Unit	Quantity	Unit Price	Total Price
1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28
29
30
31
32
33
34
35
36
37
38
39
40
41
42
43
44
45
46
47
48
49
50
51
52
53
54
55
56
57
58
59
60
61
62
63
64
65
66
67
68
69
70
71
72
73
74
75
76
77
78
79
80
81
82
83
84
85
86
87
88
89
90
91
92
93
94
95
96
97
98
99
100

REMARKS: The above items are to be used for the construction of the ...

DATE: 05/05/2015
BY: [Signature]
OFFICE OF THE VICE-CHANCELLOR FOR ADMINISTRATION
Cavite State University - Don Severino de las Alas Campus
Alifan, Cavite

REMARKS: The above items are to be used for the construction of the ...



A. IMPROVEMENT OF CAVES

a. Dismantling and Hauling

1. This work includes excavation for

2. The area should be cleared before and after the construction work.

b. Installation of New Caves

a. Dismantling

1. This work includes excavation for

2. The area should be cleared before and after the construction work.

3. The area should be cleared before and after the construction work.

b. Installation of New Caves

1. This work includes excavation for

2. The area should be cleared before and after the construction work.

3. The area should be cleared before and after the construction work.

4. The area should be cleared before and after the construction work.

5. The area should be cleared before and after the construction work.

6. The area should be cleared before and after the construction work.

7. The area should be cleared before and after the construction work.

8. The area should be cleared before and after the construction work.

9. The area should be cleared before and after the construction work.

10. The area should be cleared before and after the construction work.

a. Supply and installation of 1000 HSD space with 1/2" and 1/4" analysis gills.

b. Provide epoxy primer with catalyst for the whole steel gills.

IV. See plans and existing for details and extent of work.