Republic of the Philippines CAVITE STATE UNIVERSITY Don Severino de las Alas Campus

1. The Cavite State University (CvSU) invites interested firms/supplier to submit quotation for the project

with an Approved Budget for the Contract (ABC) of . Quotation received in excess of the ABC shall be automatically rejected at the opening

001	1 uSit	unit	Retractable Tripod Stand Carbonalloy steel 68cmup to 210cm Phone holder	35000	230050,05900
			Traction 210cm Flexible Three Legged Bracket with Percentage Secretalizers State Trace		
			Snartphone Stabilizer Specifications: Ginbal Number of Axes: 2 Axis (Roll, Yaw)		
			Rotation Range: Yaw(Pan): 290' Roll: 208' Load Capacity: 7.1 oz / 200 g		
			Compatibility Singuphone Dimensions: Width 2 to 35'/50 to 90 nm Cornectivity Parts: 1 x USB Type C (Power)		
2	1	unit	Sileks (Brote Oct Bluetooth 5 (Battery Battery Runtime: 55 Hous Power Occupations Voltages: 24 to 48 VDC		
			Operating Voltage: 34to 42 VDC Operating Current: 220to 3000 mA Environmental Operating Temperature: 32 ton	2 d	h

			• Focus Range 10cm and Beyond		
			Built in Mic: Single Digital Mic		
			• Output Formet: MIPEG		
			• Frame Rate: 30fps		
			•USB USB20		
			• SystemRequirements		
			• Compatible with Windows 7/8/81		
			/10crLater		
			Works in USB Video Device Class		
			(UVC) Mode:		
			• Compatible with social and video calling software of the above system		
			USB Extension Cable Cord		
	3	unit	5Gbps - USB 30Extension Cable	45000	1,35000
4			timed copper		
			Cable length 5M		
			USB30		
	1	urit	USBHb		30000
~			7PartUSB30PoverAdapterMilii	20000	
5			USB Splitter H. bwith Switch 30CM	30000	
			Cable		
			LavalerMoophore		
			Omni directional Condenser		
			Maqhae		
			LowHarding Noise		
6	2	unit	Includes Lapel Clip	80000	1,60000
			Machine Clip		
			1/4' Adapter		
			IR44 Battery		
			FoamWindscreen		
			Wall Mounted Table A O 000		

7. 3 unit