Republic of the Philippines
CAVITE STATE UNIVERSITY
Don Severino de las Alas Campus
Indang, Cavite, Philippines
 (046) 889-6373
www.cvsu.edu.ph

INVITATION TO SUBMIT QUOTATION
Supply and Delivery of Laptop for STAARRDEC

1. The Cavite State University (CvSU) invites interested firms/supplier to submit quotation
for the project “Supply and Delivery of Laptop for STAARRDEC” with an Approved
Budget for the Contract (ABC) of Seventy-Five Thousand Pesos Only (PhP 75,000.00).
Quotation received in excess of the ABC shall be automatically rejected at the opening.

Item
No. Unit Description Quantity Unit Cost Total Cost
1. unit
Laptop
● Processor: Intel Core i7 13
th
 Gen,
30MB Smart Cache, 2.1GHz up to
5.0GHz Turbo Boost Technology
● Memory: 16GB DDR4 4800MHz
● Storage: 512GB NVME PCIE GEN4
SSD
● Graphics: NVIDIA GeForce RTX
GPU, 8GB
● Display: 16inch, 165Hz IPS
Technology 2560 x 1600
● Webcam: 1920 x 1080 resolution,
1080p HD video at 60 fps
● Connectivity: WIFI 6, Bluetooth v5.2
Gigabit Ethernet
● Audio: DTS X Ultra Audio, with dual
mic
● Keyboard: 103-/104/-107-key Fine
Tip RGB-backlit keyboard with
independent standard numeric keypad
● Operating System: Windows 11
Home 64bit with MS Office 2021 Home
and Student 2021 (Licensed)
● free chair
1 75,000.00 75,000.00
TOTAL AMOUNT 75,000.00

2. Delivery Period: ____ calendar days from the receipt of P.O.

3. Price quotations must be valid for a period of sixty (60) calendar days from date of
submission and shall include all taxes, duties and/or levies payable. Bidders shall also
indicate the brand and model of the items being offered.

4. Warranty shall be for a period of six (6) months for supplies and materials. Warranty for
equipment must not be less than one (1) year from the date of acceptance and shall be
accompanied with Warranty Certificate.
���

 �0�E�W�U�D�Q�U�W�G�G�G��I�'�L�W�H�O�H�F�D�Q�H�`���p�H�G�R�I�

Address : Procurement Office, Administration Building Cavite State University
Indang, Cavite E-mail : procurementoffice@cvsu.edu.ph / rfqmain@cvsu.edu.ph